

# ProtectWALL

TECHNICAL DATA	STANDARD	PROTECTWALL 1.5 B-S2	PROTECTWALL CLEAN ROOM
<b>Classification</b>	Norm	Tarkett Value	Tarkett Value
<b>Product type</b>	EN 259-1 EN 14644-1	Heavy duty wall covering -	Heavy duty wall covering Cleanroom suitable Designed with a dedicated embossing to ensure hygiene in Cleanroom
<b>Technical Characteristics</b>	Norm	Tarkett Value	Tarkett Value
<b>Total thickness</b>	EN ISO 24346	1.50 mm	1.50 mm
<b>Total weight</b>	EN ISO 23997	2400 g/m <sup>2</sup>	2400 g/m <sup>2</sup>
<b>Wear layer thickness</b>	EN ISO 24340	0.15 mm	0.15 mm
<b>Surface treatment</b>		Top Clean XP™	Top Clean XP™
<b>Installation method</b>		Glue-down	Glue-down
<b>Performance for CE Marking</b>	Norm	Tarkett Value	Tarkett Value
<b>Declaration of Performance</b>	EN 15102	0132-0065-DoP-2022-10	0132-0065-DoP-2022-10
<b>Reaction to fire</b>	EN 13501-1	B-s2,d0 glued on any non-metal A1 or A2-s1,d0 class substrate	B-s2,d0 glued on any non-metal A1 or A2-s1,d0 class substrate
<b>Technical Performances</b>	Norm	Tarkett Value	Tarkett Value
<b>Colour fastness to light</b>	EN ISO 105-B02	≥ 6	≥ 6
<b>Impact Resistance</b>	EN 259-2	Resistant to impacts No visible burst nor crack	Resistant to impacts No visible burst nor crack
<b>Chemical resistance</b>	ISO 26987	Not affected	Not affected
<b>Spongeability, washability, lyability, brushability</b>	EN 12956	Super washable and brushable	Super washable and brushable
<b>Determination of flexibility</b>	ISO 24344	No damage, no crack	No damage, no crack
<b>Seam strength</b>	ISO 16906	Average Value: ≥ 250 N/50 mm	Average Value: ≥ 250 N/50 mm
<b>Bacteria resistance</b>	ISO 846 part C	No bacterial growth	No bacterial growth
<b>Cleanability/Riboflavin Test</b>	ISO 4628-1 - VDI 2083 P17	0 - Excellent	0 - Excellent
<b>Contamination control</b>	EN 14644-1	-	Cleanroom suitable
<b>Ease of decontamination</b>	ISO 8690	-	Good
<b>Sustainability performances</b>	Norm	Tarkett Value	Tarkett Value
<b>Recyclability through ReStart®</b>		Recyclable	Recyclable
<b>Carbon Footprint (Cradle-to-Gate, EPD Modules A1- A3)</b>		4.40 kg CO <sub>2</sub> eq /m <sup>2</sup>	4.40 kg CO <sub>2</sub> eq /m <sup>2</sup>
<b>Total Carbon Footprint (EPD Modules A-D, incl. recycling scenario)</b>		5.94 kg CO <sub>2</sub> eq /m <sup>2</sup>	5.94 kg CO <sub>2</sub> eq /m <sup>2</sup>
<b>Total VOC Emissions</b>	EN 16516	Platinum (≤ 10 µg/m <sup>3</sup> )	Platinum (≤ 10 µg/m <sup>3</sup> )
<b>Formaldehyde emission class</b>		E1	E1
<b>Dimensions and designs</b>	Norm	Tarkett Value	Tarkett Value
<b>Roll</b>		2 x 20 m	2 x 20 m
<b>Number of designs available</b>		24	2

The above information is subject to modification for the benefit of further improvement. (01/24). Non contractual pictures. The illustrations do not reflect the actual scale of the products.

According to the European Regulation N° 305/2011 for CE Marking, the Declarations of Performance are available on our website [www.tarkett.com](http://www.tarkett.com)  
Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.



■ WESTERN EUROPE: Austria: Tarkett Holding GmbH - Tel. +43 1 716 440 • Belgium: Tarkett Belux Sprl - Tel. +32 52 26 24 11 • Denmark: Tarkett A/S - Tel. +45 43 90 60 11 • Finland: Tarkett Oy - Tel. +358 9 4257 9000 • France: Tarkett SAS - Tel. +33 1 41 20 42 49  
 ■ Germany: Tarkett Holding GmbH - Tel. +49 621 68172 300 • Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 • Italy: Tarkett S.p.A. - Tel. +39 0744 7551 • Luxembourg: Tarkett GDL SA - Tel. +352 949 211 8804 • Netherlands: Tarkett BV - Tel. +31 416 685 491  
 ■ Norway: Tarkett AS - Tel. +47 92 20 92 00 • Portugal: Tarkett SA - Tel. +351 21 427 64 20 • Spain: Tarkett Floors S.L. - Tel. +34 914 951 400 • Sweden: Tarkett Sverige AB - Tel. +46 771 25 19 00 • Switzerland: Tarkett Holding GmbH - Tel. +41 43 233 79 24  
 ■ Turkey: Tarkett Turkey - Tel. +90 212 213 65 80 • United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 354 040 ■ EASTERN EUROPE: Baltic Countries: Estonia: Tel. +372 55 51 5880 • Latvia: Tel. +371 26 112014 • Lithuania: Tel. +370 37 262220 • Czech Republic: Tarkett org. slozka - Tel. +420 271 001 600 • Hungary: Tarkett Polska Sp. z o.o. magyarországi fióktelepe - Tel. +36 1 437 8150 • Kazakhstan: Tarkett Kazakhstan - Tel. +7 7172 79 00 99 • Poland: Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 • Russian Federation: ZAO Tarkett RUS - Tel. +7 495 775 3737  
 ■ Slovakia: Tarkett Polska Sp. z o.o. organizačná zložka - Tel. +421 2 48291 317 • South East Europe: Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 • Ukraine: Tarkett UA - Tel. +38 (0) 44 35 45 621 ■ ASIA AND OCEANIA: Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00  
 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 60 95 68 38 ext 841 • North East Asia: Tarkett Hong Kong Limited - Tel. +852 2511 8716 • India: Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 4130 3793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 • South East Asia: Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ AFRICA: Tarkett International: Tel. +33 1 41 20 41 01 ■ MIDDLE EAST: Tarkett Middle East: Tel. +961 1 51 3363/4 • Israel: Tarkett International: +33 1 41 20 41 01  
 ■ NORTH AMERICA: USA: Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 • Canada: Tarkett Inc. - Tel. +1 450 293 173 ■ LATIN AMERICA: Brazil: Tarkett Brasil: Tel. +55 12 3934 7108 • Argentina - Chile - Uruguay: Tarkett Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 • Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett Latam - Tel. +55 11 9 8410 9310 / +55 11 95494 0069 • Mexico / Central America: Tarkett Mexico - Tel. +52 11 98410 9310


Printed on recyclable paper and cardboard

Customs Tariff: 8205000000

ProtectWALL - 206001 0111 - 01/24



ProtectWALL



GLUE-DOWN  
INSTALLATION

HETEROGENEOUS  
VINYL WALLCOVERING

# ProtectWALL

HETEROGENEOUS VINYL WALLCOVERING

Inspiring  
resistance

professionals.tarkett.com



# INSPIRING RESISTANCE


## HIGH RESISTANCE WALL PROTECTION

In turbulent education and healthcare environments, as well as humming hospitality and office areas, ProtectWall offers high protection from rough treatment and the repeated necessity of renovation.


ProtectWall stands up to scratches, impacts and staining agents, is easy to clean and preserves its appearance even after repeated cleaning procedures.

The range embodies a contemporary spirit, resonating deeply with the essence of nature. A captivating array of colours and patterns that encapsulate the fusion of modernity with timeless natural motifs.

ProtectWall is part of a global solution that also includes floors and stairs.




Inspire with the essence of nature




Protect walls against rough treatments and the repeated need for renovation

### Captivating colour chart




**3** Inspiration  
Woods - Minerals - Colours



**26** Designs  
Matt finish



**Approved**  
dementia-friendly designs



**Matches**  
with Excellence and Platinum ranges, wetroom & stairs ranges



**Accessories**  
available for a perfect finish

### Responsible wallcovering



Up to **15%** Recycled content



Recycling\* through **ReStart®**



Optimal indoor air quality  
**≤ 10** µg/m<sup>3</sup>



**NO** Biocides  
**NO** Heavy Metals



**NO** Phthalates

### Highly resistant



**Exceptional impact and scratch resistance**  
EN259-2 – Excellent with no visible burst nor crack



**Excellent cleanability**  
no residues visible at all (Riboflavin test)



**Highly resistant to bacteria**  
ISO 846 – Does not encourage bacterial growth



**High priority to hygiene**  
reduces germ infiltration by limiting the number of joints necessary



**Cleanroom-suitable material**  
ISO 14644-1: Highest cleanroom standard in healthcare environments\*\*

\*offcuts and post-installation recycling. \*\*ProtectWall CR only - Tarkett level certified by the Fraunhofer Institute



LRV = Light Reflectance Value

# COLLAGE RABAT

# INTER












Discover more here!






# PROTECTWALL

The colour chart that sets the tone

UNI terracotta 264991 101 LRV 31.11% NCS S 3020-Y60R	
UNI linen 264991 100 LRV 57.94% NCS S 2005-Y	
UNI grege 264991 098 LRV 40.75% NCS S 3005-Y20R	
UNI ochre 264991 085 LRV 51.06% NCS S 2020-Y20R	
UNI light beige 264991 080 LRV 69.91% NCS S 1005-Y20R	
UNI kaki 264991 084 LRV 37.91% NCS S 3010-G40Y	
UNI white blue 264991 081 LRV 57.32% NCS S 1510-B	
UNI aqua 264991 083 LRV 34.76% NCS S 3010-B50G	
PALM kaki 264991 095 LRV 66.69% NCS Background: S 0502-G50Y NCS Pattern: S 2010-G40Y	



ProtectWALL MARBLE carrare - UNI linen - UNI kaki  
Excellence CARPET moss

	UNI sweet grey 264992 082 LRV 50.96% NCS S 2502-Y20R CR
	UNI super white 264992 061 LRV 88.22% NCS S 0502-G50Y CR
<b>CR PROTECTWALL CLEANROOM</b>	
	TWEED ochre 264991 087 LRV 59.92% NCS S 1510-Y20R
	TWEED warm grey 264991 088 LRV 61.50% NCS S 1520-Y20R
	TISSE grey beige 264991 057 LRV 51.93% NCS S 2005-Y20R
	UNI white grey 264991 079 LRV 70.27% NCS S 1002-Y50R
	UNI super white 264991 077 LRV 87.26% NCS S 0500-N
	PALM shadow 264991 091 LRV 78.74% NCS Background: S 0502-G50Y NCS Pattern: S 2002-Y20R

	GEMSTONE pastel 264991 094 LRV 71.62% NCS Background: S 1002-Y50R NCS Pattern 1: S 3030-R NCS Pattern 2: S 3030-Y10R NCS Pattern 3: S 4502-Y80R
	PLYWOOD natural 264993 104 LRV 48.94% NCS Background: S 2010-Y20R NCS Pattern: S 3010-Y30R
	OAK TREE natural 264991 075 LRV 39.53% NCS S 3010-Y30R
	RUSTIC VELVET copper 264991 097 LRV 57.94% NCS S 1505-Y
	LUXURY CONCRETE golden 264991 096 LRV 40.90% NCS S 3005-Y
	CONCRETE mastic 264991 074 LRV 54.30% NCS S 2002-Y
	BRECCIASTONE grey 264993 106 LRV 38.24% NCS S 3502-Y20R XXL 2 x 6 m. No repeat
	CONCRETE cool grey 264991 058 LRV 35.34% NCS S 3502-Y50R
	MARBLE carrare 264991 064 LRV 82.72% NCS S 0502-G50Y



# COLLAGE SUR GARDE INTER



ProtectWALL GEMSTONE pastel – OAK TREE natural – UNI linen  
Platinum GROUND blue



Discover our DSDC accredited dementia-friendly designs




## ACCESSORIES FOR A PERFECT FINISH

3 versions:  
Rigid PVC  
Flexible PVC  
Aluminium


### CAPS

Provides a perfect finish and protects the edge of the wall covering.



### SET-IN CORNERS


Protects the outside corner when angle is not covered.



### SET-ON CORNERS


Covers and protects the outside corner.

Solid PVC adjustable.



### COVE FORMERS

Improves hygiene inside wall corner for easy maintenance and used to form a cove where the floor is continued up to wall.



### SET-ON CORNERS

Covers and protects the outside corner.

Solid PVC 90°

For more information regarding our accessories offer, do not hesitate to contact your local customer service.

Design	Colour	NCS	LRV (%)	ProtectWALL	ProtectWALL CleanRoom	Matching welding rods
BRECCIASTONE	grey	S 3502-Y20R	38.24	264993 106	–	24806 200
CONCRETE	cool grey	S 3502-Y50R	35.34	264991 058	–	24806 117
	mastic	S 2002-Y	54.30	264991 074	–	24806 201
GEMSTONE	pastel	Background: S 1002-Y50R	71.62	264991 094	–	24806 202
		Pattern 1: S 3030-R			–	
		Pattern 2: S 3030-Y10R			–	
		Pattern 3: S 4502-Y80R			–	
LUXURY CONCRETE	golden	S 3005-Y	40.90	264991 096	–	24806 203
MARBLE	carrare	S 0502-G50Y	82.72	264991 064	–	24806 124
OAK TREE	natural	S 3010-Y30R	39.53	264991 075	–	24806 204
PALM	kaki	Background: S 0502-G50Y Pattern: S 2010-G40Y	66.69	264991 095	–	24806 205
	shadow	Background: S 0502-G50Y Pattern: S 2002-Y20R	78.74	264991 091	–	24806 206
PLYWOOD	natural	Background: S 2010-Y20R Pattern: S 3010-Y30R	48.94	264993 104	–	24806 207
RUSTIC VELVET	copper	S 1505-Y	57.94	264991 097	–	24806 208
TISSE	grey beige	S 2005-Y20R	51.93	264991 057	–	24806 127
TWEED	ochre	S 1510-Y20R	59.92	264991 087	–	24806 210
	warm grey	S 1520-Y20R	61.50	264991 088	–	24806 209
UNI	aqua	S 3010-B50G	34.76	264991 083	–	24806 211
	grege	S 3005-Y20R	40.75	264991 098	–	24806 212
	kaki	S 3010-G40Y	37.91	264991 084	–	24806 213
	light beige	S 1005-Y20R	69.91	264991 080	–	24806 147
	linen	S 2005-Y	57.94	264991 100	–	24806 214
	ochre	S 2020-Y20R	51.06	264991 085	–	24806 215
	super white	S 0500-N	87.26	264991 077	–	24806 161
	super white	S 0502-G50Y	88.22	–	264992 061	24806 161
	sweet grey	S 2502-Y20R	50.96	–	264992 082	24806 216
	terracotta	S 3020-Y60R	31.11	264991 101	–	24806 217
	white blue	S 1510-B	57.32	264991 081	–	24806 156
	white grey	S 1002-Y50R	70.27	264991 079	–	24806 162